| | | | | |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | A. Understand the place value system. | 5.NBT.A.1 | 1. Recognize that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left. | 1. No change. |
| | A. Understand the place value system. | 5.NBT.A.2 | 2. | |

| | | | | | |
|---|---|---|---|---|---|
| | | | | | |
| | | | | | |
| | | | | | |
| | A. Understand the place value system. | 5.NBT.A.3 | 3. Read, write, and compare decimals to thousandths. | 3. No change. | |
| | | 5.NBT.A.3a | 3a. Read and write decimals to thousandths using base-ten numerals, number names, and expanded form, e.g., 347.392 = 3 × 100 + 4 × 10 + 7 × 1 + 3 × (1/10) + 9 × (1/100) + 2 × (1/1000). | 3a. Read and write decimals to thousandths using base-ten numerals, number names, and expanded form, (e.g., 347.392 = 3 × 100 + 4 × 10 + 7 × 1 + 3 × (1/10) + 9 × (1/100) + 2 × (1/1000), or equivalent form using decimals for the unit fraction). | |
| | | 5.NBT.A.3b | 3b. Compare two decimals to thousandths based on meanings of the digits in each place, using >, =, and < symbols to record the results of comparisons. | 3b. No change. | |
| | | 5.NBT.A.4 | 4. Use place value understanding to round decimals to any place. | 4. No change. | |

| | | | | | |
|---|---|---|---|---|---|
| | | | | | |
| | | | | | |
| | | | | | |
| | B. Apply and extend previous understandings of multiplication and division to multiply and divide fractions. | 5.NF.B.4 | 4. Apply and extend previous understandings of multiplication to multiply a fraction or whole number by a fraction. | 4. No change. | |
| | | 5.NF.B.4a | 4a. Interpret the product (a/b) × q as a parts of a partition of q into b equal parts; equivalently, as the result of a sequence of operations a × q ÷ b. For example, use a visual fraction model to show (2/3) × 4 = 8/3, and create a story context for this equation. Do the same with (2/3) × (4/5) = 8/15. (In general, (a/b) × (c/d) = ac/bd.) | 4a. Interpret the product (a/b) × q as a parts of a partition of q into b equal parts; equivalently, as the result of a sequence of operations a × q ÷ b. For example, use a visual fraction model to show (2/3) × 4 = 8/3, and create a story context for this equation. Do the same with (2/3) × (4/5) = 8/15. | |
| | | 5.NF.B.4b | 4b. Find the area of a rectangle with fractional side lengths by tiling it with unit squares of the appropriate unit fraction side lengths, and show that the area is the same as would be found by multiplying the side lengths. Multiply fractional side lengths to find areas of rectangles, and represent fraction products as rectangular areas. | 4b. Find the area of a rectangle with fractional side lengths by tiling it with rectangles of the appropriate unit fraction side lengths, and show that the area is the same as would be found by multiplying the side lengths. Multiply fractional side lengths to find areas of rectangles, and represent fraction products as rectangular areas. *For example, the figure below shows (2/3) × (3/4) by tiling it with rectangles of the appropriate unit fraction side lengths.* | |

| | | | | |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | B. Apply and extend previous understandings of multiplication and division to multiply and divide fractions. | 5.NF.B.5 | 5. Interpret multiplication as scaling (resizing) by | 5. No change. |
| | | 5.NF.B.5a | 5a. Comparing the size of a product to the size of one factor on the basis of the size of the other factor, without performing the indicated multiplication. | 5a. Comparing the size of a product to the size of one factor on the basis of the size of the other factor, without performing the indicated multiplication. *For example, The product of 220 x 1/8 is* |

B. Apply and extend previous understandings of multiplication and division to multiply and divide fractions.